

PRINCESS 43



PRINCESS 43

STANDARD EQUIPMENTS:

24v Dc/240v Ac electric system.
240v shore power with 50-Amp float battery charger.
Dual station remote control electric anchor winch.
Dual station electric trim tabs with indicators.
Dual station Vhf Dsc R/T with intercom.
Dual station speed and distance log.
Dual-station echo sounder with alarm.
Remote control searchlight.
Combination microwave/conventional oven/grill.
Cocktail cabinet.
Flybridge top loading cold box.
Electric quietflush WCs.
Saloon/flybridge stereo Radio/Cd teak laid nn transom platform
cockpit Deck, flybridge stairway and stairs to side decks.
Flybridge sunbed and cushions.
Triple-opening stainless-steel framed saloon doors.
Transom door.
Hot and cold transom shower.
Cockpit night cover.

PRINCIPAL DIMENSIONS:

Length overall (incl. pulpit): 47ft 6in (14.50m)

Length overall (excl. pulpit): 46ft 4in (14.14m)

Beam: 13ft 7in (4.25m)

Draft: 3ft 7in (1.14m)

Displacement approx.: (TWIN VOLVO 370HP): 14.4

Fuel capacity: 300 Gallons (1363 Liters)

Water capacity (incl. calorifier) 100 Gallons (455 Liters)

ENGINES & DRIVE:

Twin Volvo D6-435 (2 x 435mhp)

Bow thruster (80Kg.F) with dual station controls is now supplied as standard

Stern thruster 80 kgf

Duplex fuel filters

HULL COLOUR:

White

INTERIOR FURNITURE:

Walnut interior wood stain finish with galley floors

LAYOUT:

Optional fly bridge wet bar/BBQ consisting of hot & cold water, electric griddle and storage

GALLEY:

Midnight black galley worktop

BATHROOMS:

Bathroom worktop in Kokoura avonite as standard

DECK HARDWARE:

Additional 10m of 10mm anchor chain to give a total of 50 metres

Transom platform to have electro-hydraulic raise/lower (400 kg SWL)

GENERATOR:

ONAN 9.5kW/50Hz generator (with hydrohush exhaust system)
Prices include shore support changeover switch, automatic fire Extinguisher and remote control panel

ELECTRICAL:

U.K. 220v/240v sockets

Underwater transom lights (2 Blue A12 PRO LED)

Foredeck freshwater anchor / deck wash system

Ceramic electric hob (3 burner) in place of standard gas hob

220V icemaker (fitted below fly bridge stairway in cockpit)
note that this can only be fitted in port cockpit locker when craft is supplied as all electric (i.e. no gas system)

Refrigerator fitted in saloon aft cocktail unit

Additional drawer refrigerator fitted in galley

Fit seacock for later fitting optional water maker

AUDIO VISUAL & COMMUNICATIONS:

STANDARD AUDIO SYSTEM

Incorporates:

Owners cabin fusion ip 600 radio/ipod/mp3 player

PREMIUM AUDIO SYSTEM

Incorporates:

Deck Saloon - Harman Kardon 2.1 Blu-ray system with Bluetooth connectivity and KEF speakers (linked to optional TV when ordered) in place of Radio/iPOD/mp3 Player

Fly bridge - Fusion IP600 Radio/iPod/MP3player with waterproof speakers, which are also linked to the saloon audio system

Deck Saloon - 32"HD LED TV (with 3D capability) – on a power lift mechanism (linked to HarmanKardon2.1) – only applicable when Premium audio system is specified

Run copex tube from radar arch to saloon entertainment

NAVIGATION:

Raymarine p70R autopilot (with rate gyro) and with dual station controls.

Two Raymarine i70 multifunction instruments are supplied as standard at the lower helm and one at the upper helm (for speed, distance, trip, depth, depth alarm, water temperature etc)

Raymarine E125 Chartplotter/GPS with external GPS and 12.1" brilliant Color multifunction display at lower helm

Raymarine HD color radar with 24", 4Kw Radome (only if chartplotter is specified)

Raymarine E 125 multifunction 12.1" brilliant colour display at upper helm

AIRCONDITIONING:

Reverse Cycle Air-conditioning: 42,000 BTU. Suitable for ambient temperature to 40°C (ARABIAN GULF SPECS.)

Condensing unit 24,000 BTU supplying 2 x 12,000 BTU outlet in Saloon + 1 X 6,000 BTU (with single SMX control)

Condensing unit 12,000 BTU supplying 1 x 7,000 BTU outlet in Forward cabin (with SMX control) & 1 x 5,000 BTU outlet in Starboard cabin

As air-conditioning is specified, ensure second 32 amp shore support socket is fitted in addition to standard

Recommended generator: 9.5kW

30% extra air-condition output in saloon area

HOLDING TANK / TOILETS:

Fit holding tank (approx. 24 imperial gallons / 182 liters) including remote holding tank contents gauge, with:

SYSTEM 1 - Toilets discharging into the holding tank but also having the ability to discharge directly overboard via a Y valve fitted in the discharge lines. The holding tank has electric overboard discharge as well as reserve manual and dockside facilities arrangements

EXTERIOR UPHOLSTERY / CANVAS / COVERS:

Foredeck sunbed cushions in Movidia
Color: BEIGE

Cockpit & Flybridge seating including helm seats and sunbed cushions
in Movidia
Color: BEIGE

Please Note: Craft are supplied with White PVC covers as standard

Bimini Top – White vinyl
Additional charge for Bimini to have LED overhead lighting (switched
From console)
White mesh windscreen covers in place of standard black

ACCESSORIES:

Princess China

Princess Glasses

8 x Fender socks

SPARES:

1Kg Hull/Superstructure gelcoat

Spare set of anodes